

## Supplementary References

1. Paro A, Hyer JM, Pawlik TM. ASO author reflections: association of depression with in-patient and post-discharge disposition and expenditures among medicare beneficiaries undergoing resection for cancer. *Ann Surg Oncol* 2021;28:6535-6536.
2. Feldbrügge L, Langenscheidt A, Krenzien F, Schulz M, Krezdorn N, Kamali K, et al. Health-related quality of life and mental health after surgical treatment of hepatocellular carcinoma in the era of minimal-invasive surgery: resection versus transplantation. *Healthcare (Basel)* 2021;9:694.
3. Wang J, Yan C, Fu A. A randomized clinical trial of comprehensive education and care program compared to basic care for reducing anxiety and depression and improving quality of life and survival in patients with hepatocellular carcinoma who underwent surgery. *Medicine (Baltimore)* 2019;98:e17552.
4. Lee HH, Chiu CC, Lin JJ, Wang JJ, Lee KT, Sun DP, et al. Impact of preoperative anxiety and depression on quality of life before and after resection of hepatocellular carcinoma. *J Affect Disord* 2019;246:361-367.
5. Jia Y, Zhang W, You S, Li M, Lei L, Chen L. A nomogram for predicting depression in patients with hepatocellular carcinoma: an observational cross-sectional study. *Int J Psychiatry Clin Pract* 2019;23:273-280.
6. Cheng HH, Kamarck TW, Gianaros PJ, Roeklein KA, Vanegas Y, Tsung A, et al. Socioeconomic disparities of depressive symptoms and cytokines in hepatocellular carcinoma. *Psychooncology* 2019;28:1624-1632.
7. Temtap S, Nilmanat K. Psychological distress and concerns in Thai patients with hepatocellular cancer. *Support Care Cancer* 2018;26(S2):S241.
8. Agarwal P, Haftoglou B, Ziemiłowicz T, Lucey M, Said A. The prevalence of psychosocial barriers and their impact on receipt of HCC care in US veterans: role of tumor board model of care. *Japanese J Gastro Hepato* 2021;6:1-5.
9. Hwa KJ, Dua MM, Wren SM, Visser BC. Missing the obvious: psychosocial obstacles in Veterans with hepatocellular carcinoma. *HPB (Oxford)* 2015;17:1124-1129.
10. Chang CH, Chen SJ, Liu CY. Risk of developing depressive disorders following hepatocellular carcinoma: a nationwide population-based study. *PLoS One* 2015;10:e0135417.
11. Hong JS, Tian J. Prevalence of anxiety and depression and their risk factors in Chinese cancer patients. *Support Care Cancer* 2014;22:453-459.
12. Mikoshiba N, Miyashita M, Sakai T, Tateishi R, Koike K. Depressive symptoms after treatment in hepatocellular carcinoma survivors: prevalence, determinants, and impact on health-related quality of life. *Psychooncology* 2013;22:2347-2353.
13. Lai SW, Lin CL, Liao KF, Chen WC. No association between depression and risk of hepatocellular carcinoma in older people in Taiwan. *ISRN Psychiatry* 2013;2013:901987.
14. Palmieri VO, Santovito D, Margari F, Lozupone M, Minerva F, Di Gennaro C, et al. Psychological profile and health related quality of life (HRQOL) in patients with hepatocellular carcinoma (HCC). *J Hep* 2012;56:S291.
15. Chu TL, Yu WP, Chen SC, Peng HL, Wu MJ. Comparison of differences and determinants between presence and absence of sleep disturbance in hepatocellular carcinoma patients. *Cancer Nurs* 2011;34:354-360.
16. Jia L, Jiang SM, Shang YY, Huang YX, Li YJ, Xie DR, et al. Investigation of the incidence of pancreatic cancer-related depression and its relationship with the quality of life of patients. *Digestion* 2010;82:4-9.
17. Tian Y, Zhang Q, Zhu Y. Mental profile and related factors in 112 inpatients with hepatocarcinoma. *Chinese J Clin Rehabilitation* 2006;10:16-18.